



Fracture Panels

Product Detail

Application	Wall
Composition	100% polyester
Material	FilaSorb™
Recycled content	60% min
Weight	2400gsm
Thickness	12mm +/- 10%
Dimensions	1200 x 2800mm Custom size available upon request

Sustainability



Made from 60% min.
recycled content



Declare Red List Free
(3rd Party Verified)



Generated using
40% solar energy



Recyclable at
end of lifespan



Total VOC's less
than 0.5 mg/m³
(3rd Party Verified)



Technical Data

Fire test method	EN 13501-1: 2019
Classification	B-s1, d0
Water vapour sorption method	ASTM C1104-2019 (Procedure A Modified)
Water sorbed by weight	0.20% (results based on a 12mm thick panel)
Total VOC test method	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017
Total VOC result	≤ 0.5mg/m ³
Colourfastness test method	ISO 105-B02
Rating	6-7

Guarantees

Lead time	4-6 weeks
Origin	United Kingdom
Warranty against defects	20 years*
Colourfastness warranty	20 years* *conditions apply


Acoustic Performance

Test method
12mm ASTM C423-09a: Standard Test Method for Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method

Installation method
Mounting method A

Rating method
AS ISO 11654 -2002: Acoustics - rating of sound absorption - material and sytems


Test results
12mm
no air gap - 0.45 NRC | 0.25 (H) aw, Class E
12mm air gap - 0.54 NRC | 0.35 (MH) aw, Class D
20mm air gap - 0.64 NRC | 0.40 (MH) aw, Class D




	Frequency (Hz)	125	250	500	1000	2000	4000	NRC	Class Rating
	12mm - α _n no air gap	0.06	0.02	0.23	0.61	0.89	0.95	0.45	Class E
	12mm - α _s 12mm air gap	0.03	0.14	0.33	0.74	1.00	1.00	0.54	Class D
	12mm - α _s 20mm air gap	0.05	0.16	0.48	0.85	1.00	1.00	0.64	Class D

Performance Indices: **Noise Reduction Coefficient (NRC)** results represent the absorption coefficients measured at the one third octaves bands at 125, 250, 500, 1000, 2000 and 4000 Hz rounded to the nearest 0.05. Acoustic testing has been performed according to the methods mentioned above. Customisation of installation of the product could alter the results. **Sound Absorption Average (SAA)** indicates the absorption coefficient average for the twelve one-third octave bands ranging between 200 and 2500 Hz


Designs




Arch




Chevron




Diagonal




Fineline




Formula




Harlequin




Intersect




Knit




Lattice




Maze




Metropolis




Pennant




Prism



Pulse




Rowhouse




Spirograph


Designs




Summit



Track




Trellis




Wavelength


Arch Pattern




Recommended Layouts




Layout 1



Layout 2




Layout 3



Layout 4

Chevron Pattern




Recommended Layouts




Layout 1



Layout 2




Layout 3




Layout 4


Diagonal Pattern



Recommended Layouts




Layout 1




Layout 2


Fineline Pattern



Recommended Layouts




Layout 1




Layout 2


Formula Pattern



Recommended Layouts




Layout 1




Layout 2


Harlequin Pattern



Recommended Layouts




Layout 1




Layout 2


Intersect Pattern



Recommended Layouts




Layout 1




Layout 2


Knit Pattern



Recommended Layouts




Layout 1




Layout 2


Lattice Pattern



Recommended Layouts




Layout 1




Layout 2


Maze Pattern




Recommended Layouts




Layout 1



Layout 2





Layout 3




Layout 4

Metropolis Pattern


Recommended Layouts




Layout 1



Layout 2




Layout 3




Layout 4


Pennant Pattern




Recommended Layouts




Layout 1



Layout 2





Layout 3




Layout 4

Prism Pattern


Recommended Layouts




Layout 1



Layout 2




Layout 3




Layout 4


Pulse Pattern




Recommended Layouts




Layout 1



Layout 2




Layout 3




Layout 4


Rowhouse Pattern




Recommended Layouts




Layout 1



Layout 3




Layout 2




Layout 4


Spirograph Pattern




Recommended Layouts




Layout 1



Layout 2




Layout 3




Layout 4


Summit Pattern




Recommended Layouts




Layout 1



Layout 2




Layout 3




Layout 4


Track Pattern




Recommended Layouts




Layout 1



Layout 3




Layout 2




Layout 4


Trellis Pattern



Recommended Layouts




Layout 1




Layout 2


Wavelength Pattern




Recommended Layouts




Layout 1



Layout 2



























Layout 3



Layout 4


FilaSorb™ Colourways

										
Peppercorn PE22	Currant CU59	Carrot CA08	Peach PE19	Flamingo FL61	Valentine VA70	Turmeric TU60	Wheat WH68	Kale KA12	Oregano OR18	Sencha SE58
										
Celery CE65	Eucalyptus EU71	Wasabi WA29	Pistachio PI25	Midnight MI16	Flint FL64	Granite GR62	Denim DE09	Iris IR10	Azur AZ05	Marine MA15
										
Stonewash ST72	Periwinkle PE23	Sea Salt SE57	Shiraz SH63	Piano Black PI24	Charcoal CH01	Slate SL27	Grey GR02	Metal ME03	Platinum PL04	Milkyway MI74
										
Walnut WA56	Umber UM54	Amethyst AM69	Quartz QU67	Almond AL55	Ivory IV11	Pearl PE21	White WH12			


Can't find a colour?
We are constantly updating our palette, which includes adding and discontinuing certain colour lines. If you can't find the colour you are looking for, please contact us with your colour request, as we may still have stock available.

Mounting Methods

Peel and Stick Backing




Construction Adhesive




Pot Magnet Install

Wall Pot Magnet Install
Metal Plate



Wall Pot Magnet Install
L Plate + Metal Plate



L Plate Wall + Metal
Plate Configuration

○ L Metal Plate × Metal Plate

