

BAUX Acoustic Wood Wool
Material Safety Data Sheet



Handling Usage Recycling and Contact
Products and Dimensions
Colours
Digital Toolkit
Compositions of Ingredients
Certificates and Standards
Acoustic Performance
Physical Appearance and Performance
Product Specification Codes

Read this

Benefits of BAUX Acoustic Wood Wool

BAUX Acoustic Wood Wool has all the ingredients for excellent acoustic design—performance, sustainability and a full palette of shapes and colours to play with. BAUX Acoustic Wood Wool assortment is carefully designed by Form Us With Love.

Unpacking and handling

Please handle BAUX products with care during unpacking and installation. Be sure to inspect materials upon delivery and note any damages on the delivery and notify BAUX immediately. Before installation, be sure to unwrap the packaging and let the products acclimatize at least 48 hours where the installation will take place. Let the products stay stacked.

Installation

BAUX Acoustic Wood Wool can be installed on both ceilings and walls using a variety of different installation methods, including the use of glue, screws and magnets. Suitable for projects of all kinds, Acoustic Wood Wool panels fulfil a range of acoustic treatment needs—from A to D class, and NRC requirements up to 0.95. Download the installation manuals at baux.com.

Shape modification

BAUX Wood Wool products can easily be cut to shape with a Hand Saw, Circular Saw or equal. The color does not run through the material so visible edges need touch up paint.

Repairs and field painting

Minor damages on the surface usually have little impact on the visual appearance since the boards have the same structure throughout the entire product. Field painting is possible using a long-haired paint roller or a hand sprayer. Water-based paint will not reduce the sound-absorbing performance of the panels. For larger paint work, use spray equipment with water-based paint and apply thin layers (approximately 0,4 liters/m²).

Use and maintenance

BAUX products do not require subsequent care. However, we recommend light cleaning using a vacuum cleaner with a brush nozzle. Should vacuum-cleaning prove insufficient, you can wipe the panels using a lightly damp cloth. Cleaning liquids may be used. In cases of heavy soiling, light cleaning with hot steam is proposed.

Reuse, recycling and deposition

Boards that have been disassembled in connection with renovation or demolition may be reused. Wood wool boards may be ground down and recycled as ballast and filling material, moisture absorbent sprinkling, substrate for running tracks etc.

If wood wool material is deposited in nature, no negative environmental impact arises, on the contrary it adds a calcium supplement. The composted product return safely to nature as a soil conditioner. The cement in the product boosts oxygen levels during the composting process and CO₂ from the air binds to the cement particles, calcium is formed (carbonation). The wood adds organic material to the compost.

Tolerances

BAUX acoustic Wood Wool is a natural material and the composition will incur small variations in the panels. Inappropriate storage and lack of acclimatisation could alter panel dimension and weight. Tolerance level: +/- 1mm in length, width and thickness and +/- 5 mm on the corners.

Contact


If you are interested in BAUX acoustic products, please get in touch. We ship globally through our headquarters and via local partners and representatives. For more information, visit baux.com or contact us at info@baux.com.

BAUX HQ - Stockholm, Sweden
baux.com/contact, 0046 (8) 21 07 07, info@baux.com


Tiles

Products:


BAUX Acoustic Wood Wool Tiles



Square



Circle




Hexagon



Rectangle




Plank




Triangle




Parallelogram*




Quarter Circle



3D Pixel 25



3D Pixel 50



3D Pixel 70

Dimensions:

Tiles

Product:	Models:	Width: (mm & inch)	Height: (mm & inch)	Thickness: (mm & inch)	Pieces per m2 and sq.ft.
Square	Small	290 mm, 11.42"	290 mm, 11.42"	25 mm, 1.0"	11.82/m2, 1.10/sq.ft.
	Large	580 mm, 22.84"	580 mm, 22.84"	25 mm, 1.0"	2.97/m2, 0.28/sq.ft.
Quarter Circle	Small	290 mm, 11.42"	290 mm, 11.42"	25 mm, 1.0"	11.82/m2, 1.10/sq.ft.
	Large	580 mm, 22.84"	580 mm, 22.84"	25 mm, 1.0"	2.97/m2, 0.28/sq.ft.
Circle	Small	290 mm, 11.42"	290 mm, 11.42"	25 mm, 1.0"	15.14/m2, 1.41/sq.ft.
	Large	580 mm, 22.84"	580 mm, 22.84"	25 mm, 1.0"	3.78/m2, 0.35/sq.ft.
Hexagon	Small	290 mm, 11.42"	250 mm, 9.84"	25 mm, 1.0"	17.82/m2, 1.66/sq.ft.
	Large	580 mm, 22.84"	500 mm, 19.68"	25 mm, 1.0"	4.45/m2, 0.41/sq.ft.
Rectangle	Small	580 mm, 22.84"	290 mm, 11.42"	25 mm, 1.0"	5.95/m2, 0.55/sq.ft.
	Large	1160 mm, 45.7"	580 mm, 22.84"	25 mm, 1.0"	1.49/m2, 0.14/sq.ft.
Plank	Small	580 mm, 22.84"	145 mm, 5.71"	25 mm, 1.0"	11.89/m2, 1.10/sq.ft.
	Large	1160 mm, 45.7"	290 mm, 11.42"	25 mm, 1.0"	2.97/m2, 0.28/sq.ft.
Parallelogram	Small	290 mm, 11.42"	580 mm, 22.84"	25 mm, 1.0"	11.89/m2, 1.10/sq.ft.
	Large	580 mm, 22.84"	1160 mm, 45.7"	25 mm, 1.0"	2.97/m2, 0.28/sq.ft.
Triangle	Small	290 mm, 11.42"	290 mm, 11.42"	25 mm, 1.0"	23.78/m2, 2.21/sq.ft.
	Large	580 mm, 22.84"	580 mm, 22.84"	25 mm, 1.0"	5.95/m2, 0.55/sq.ft.
3D Pixel 25	t25	290 mm, 11.42"	290 mm, 11.42"	25 mm, 1.0"	11.89/m2, 1.10/sq.ft.
3D Pixel 50	t50	290 mm, 11.42"	290 mm, 11.42"	50 mm, 1.96"	11.89/m2, 1.10/sq.ft.
3D Pixel 70	t70	290 mm, 11.42"	290 mm, 11.42"	70 mm, 2.75"	11.89/m2, 1.10/sq.ft.


*Available left & right




Panels

Products:


BAUX Acoustic Wood Wool Panels




Quilted




Stripes




Diagonal*




Check



Lines



Arch



Curve*

Dimensions:

Panels

Product:	Width: (mm & inch)	Height: (mm & inch)	Thickness: (mm & inch)	Pieces per m2 and sq.ft.
Quilted	1160 mm, 45.7"	580 mm, 22.84"	25 mm, 1.0"	1.49/m2, 0.14/sq.ft.
Stripes	1160 mm, 45.7"	580 mm, 22.84"	25 mm, 1.0"	1.49/m2, 0.14/sq.ft.
Diagonal	1160 mm, 45.7"	580 mm, 22.84"	25 mm, 1.0"	1.49/m2, 0.14/sq.ft.
Check	1160 mm, 45.7"	580 mm, 22.84"	25 mm, 1.0"	1.49/m2, 0.14/sq.ft.
Lines	1160 mm, 45.7"	580 mm, 22.84"	25 mm, 1.0"	1.49/m2, 0.14/sq.ft.
Arch	1160 mm, 45.7"	580 mm, 22.84"	25 mm, 1.0"	1.49/m2, 0.14/sq.ft.
Curve	1160 mm, 45.7"	580 mm, 22.84"	25 mm, 1.0"	1.49/m2, 0.14/sq.ft.

*Available both left and right



L



R




L



R

Ceiling Panels

Products: BAUX Acoustic Wood Wool Ceiling



Dimensions: Ceiling Panels

Product:	Width: (mm & inch)	Height: (mm & inch)	Thickness: (mm & inch)	Pieces per m2 and sq.ft.
Pinstripe Concealed Grid	600 mm, 24"	1200 mm, 48"	25 mm, 1.0"	1.39/m2, 0.129/sq.ft.
Pinstripe Exposed Grid	593 mm, 23.8"	1193 mm, 47.8"		
Widestripe Concealed Grid	600 mm, 24"	1200 mm, 48"	25 mm, 1.0"	1.39/m2, 0.129/sq.ft.
Widestripe Exposed Grid	593 mm, 23.8"	1193 mm, 47.8"		
Flat Concealed Grid	600 mm, 24"	1200 mm, 48"	25 mm, 1.0"	1.39/m2, 0.129/sq.ft.
Flat Exposed Grid	593 mm, 23.8"	1193 mm, 47.8"		

Installation: Wood Wool Ceiling panels can be installed with wood battens or in a lay-in grid. Two different methods are available for the lay-in grid, concealed grid or exposed grid. All panels come with tegular edges, the Flat panel is also available with a beveled edge.

Colours Regular Colour Assortment

Woods



Woods Pine Green*



Woods Moss Green



Woods Bright Green



Woods Pale Green

*Woods Pine Green shifts towards a bluer shade.

Sky in the sea



Sky Navy Blue



Sky Antique Blue



Sky Day Blue



Sky Dusk Blue

Heat of the sun



Heat Clay Red



Heat Rust Red



Heat Skin Red



Heat Peach Red

Earth and mountain



Earth Soil Brown



Earth Brown



Earth Sand Brown



Earth Dust Brown

Clouds



Clouds Black



Clouds Dark Grey



Clouds Grey



Clouds White

Natural



Unpainted Wood Wool



Custom colours available upon request.

Colours

Extended Colour Assortment

Midnights



Air Onyx Black



Air Graphite Grey



Air Platinum Grey

Neutrals



Air Neutral Chalk White



Air Neutral Charcoal Grey



Air Neutral Ash Grey

Minerals



Air Vanilla Beige



Air Dune Beige



Air Sand Beige

Oceanic



Air Navy Blue



Air Sapphire Blue



Air Brick Red

Florals



Air Blush Pink



Air Amber Orange



Air Cinnamon Brown

Forests



Air Jade Green



Air Olive Green



Air Emerald Green

BAUX Digital Toolkit

About:

BAUX Digital Toolkit is a free resource packed with downloadable files that help working professionals design, sketch and construct sustainable, beautiful and acoustically pleasing environments for spaces of every size.

Download the full Architecture toolbox or specific files at baux.com



3D/CAD

For many professionals, computer-aided design is an indispensable tool when it comes to visualising designs for upcoming projects. All of our Acoustic Wood Wool product files are available in formats compatible with AutoCAD, Sketchup, ArchiCAD, Rhino and more.

[.3ds](#) [.dwg](#) [.dxf](#) [.igs](#) [.skp](#)
[.sldprt](#) [.step](#)



BIM/Revit

Building information modelling is an essential tool used by professionals for virtual construction during the project planning process. All of our Acoustic Wood Wool product files are available in compatible formats, including detailed elements featuring BAUX colour schemes.


[.rfa](#)



Keynote and Powerpoint

If you need help getting the ideation process rolling, our ready-to-go presentation is an excellent catalyst. Available in both Keynote and Powerpoint formats, it features “drag & drop” objects so you can start designing right away. Great for workshops and client meetings.

[.key](#) [.pptx](#)



BAUX Patterns

BAUX Patterns makes it easier than ever to transform any space with a unique Acoustic Wood Wool design. Select from over 500 pre-measured 3D patterns, each designed to repeat like wallpaper so you can quickly calculate exactly how many tiles you'll need for your project.

[.png](#) [.tiff](#) [.jpg](#) [.dwg](#) [.txt](#)



Adobe Illustrator

An easy and efficient design tool, a lot of professionals choose Adobe Illustrator to help bring their creative visions to life. All of our Acoustic Wood Wool product files are ready to go in compatible formats for easy upload so you can start playing with shapes, colours and patterns.

[.ai](#)



Adobe Photoshop

A popular tool for editing photos and graphics. Adobe Photoshop can help you perfect your presentation and exhibit your design at its fullest potential. To make things easier, we supply high-resolution pictures of all Acoustic Wood Wool products in vectorised PDF format.

[.psd](#)



Texture Files

The next best thing to experiencing it in person. Texture files give you an idea of what a material will bring to a space in terms of colour and feel. All of our Acoustic Wood Wool product files are available in texture file formats. Great for renderings or as colour samples.

[.ai](#)



Mounting DWG

When it's time to build, we have the information you'll need to translate your designs from drawings to real life. We provide mounting files in DWG format, which can be attached to drawings, as well as installation instructions for the entire BAUX Acoustic Wood Wool range.

[.dwg](#)

Compositions of Ingredients

About: BAUX Acoustic Wood Wool is a functional, natural material made from two of the world's oldest building materials, wood and cement. The combination is simple and ingenious. Wood fiber offers excellent insulation, heat retention and sound absorption. Cement, a proven and popular building material, is the binder that provides strength, moisture resistance and fire protection. Therefore, BAUX acoustic products are versatile and durable in all climates.

Composition of Ingredient:	Ingredient:	Share (%):	Function:	Origin:	Supplier:	Certificates/other:
	Portland cement CAS: 65997-15-1	44%	Binder	SE & DK (20%/80%)	Cementa	
	Wood Swedish fir	37%	Sound absorber. Visual look	Sweden (SE)	Own forest	FSC & PEFC
	Water	10%	Binder	Sweden (SE)		
	Limestone powder CAS: 471-34-1	9%	Binder	Sweden (SE)	Nordkalk	
	Paint, water based	<1%	Visual look	Finland (FI)	Teknos	Group M1, The Swan

Sustainable Materials and CO2 Carbonation


Materials and CO2 Carbonation: BAUX wood fibers are certified – FSC® and PEFC™ – guaranteeing that it can be traced back to responsible forestry operations. The wood is collected from the Swedish forest in the direct surrounding of the factory in order to minimise negative CO2 emissions caused by longer transport distances.

BAUX have carefully selected the world leading cement supplier in terms of sustainability. An advanced system for Carbon Dioxide Capturing is in place ensuring that CO2 emissions from the manufacturing limestone heating process is absorbed and re-captured in porous stone materials. Once installed, BAUX Acoustic Wood Wool panels also capture CO2 from the surrounding air in a reactive process called carbonation. The limestone in the cement reverts back to its original state when CO2 is collected. Independent tests show that BAUX Acoustic Wood Wool, thanks to its open material structure, is able to carbonate as much as 70% of the CO2 that was emitted during the manufacturing process.

Certificates and Standards

Production:	Production locations:	Raw material: Sweden. Finishing: Sweden, USA, Australia.
	Waste in production:	80% of waste (wood wool) from production is used to heat the factory drying and wplant. No waste is produced from the timber log.
Fire & Standards:	Classification:	US - ASTM E84: A-classed, flame spread 0, smoke developed 0 EU - EN 13823 & EN ISO 11925-2: B-s1, d0 CA - CAN/ULC S102-18: Flame spread 0, smoke developed 10 AU & NZ - Standard 3837: Group 1
	Extinguishing media:	Water, carbon dioxide, foam or dry chemicals
Emissions:	Regulation/protocol (VOC Test Report Indoor Air Comfort GOLD)	
	CDPH:	Pass
	French VOC Regulation:	
	French CMR components:	Pass
	AgBB/ABG:	Pass
	Belgian Regulation:	Pass
	Indoor Air Comfort*:	Pass
	Indoor Air Comfort GOLD®:	Pass
	EN 717-1§:	E1
	BREEAM International:	Exemplary Level
	LEED v4:	Exemplary Level
	BREEAM® NOR:	Pass
	M1	Exemplary Level
Collaborations & Supplier Certificate:	      	
	Harmonised Standards: SS-EN 13168:2012+A1:2015 - Thermal insulation products for buildings, factory made wood wool products SS-EN 13964:2014 - Suspended Ceilings	


Product lifetime over? We'll take it back.



We approach sustainability in everything we think and everything we do, every day. This commitment does not end even when the acoustic products have reached the end of their useful life. That's why we make it easy for you to have a positive impact on the environment while upgrading your space at the same time. Our Circle will support you all the way.

Acoustic Performance

Absorption Coefficient*



*An absorption coefficient is one of the key efficiency markers for acoustic materials, showing how much sound is absorbed at different frequencies. In the absorption spectrum, 0 indicates perfect reflection, and 1 indicates perfect absorption. Which one is ideal? It really depends on the kind of acoustic landscape you are aiming to build. While some spaces require maximum tranquility, in others, a bit more bustle and ambience may be desired. Our assortment addresses a range of absorption needs to help you achieve your goals.

	Installation	α_w	NRC	SAA	Class
●	BAUX 25 mm	0.30	0.40	0.41	D
●	3D Pixel	0.50 (MH)	0.60	0.62	D
●	BAUX 25 mm +40 mm Stone Wool	1.0 (H)	0.95	0.95	A
●	BAUX 25 mm +200 mm slot	0.50 (H)	0.45	0.46	D
●	BAUX 25 mm +40 mm Stone Wool + 200 mm slot	0.90 (H)	0.90	0.90	A

Physical Appearance and Performance

Physical Appearance & Performance:	Appearance:	Interior/Exterior wall or ceiling panels.	Steam coefficient permeability:	4-5x10 ⁻⁶ m ² /s
	Colours:	Unpainted or painted	Air permeability:	~20 m ³ /m ² hPa
	Odour:	None	Light reflection:	Unpainted 43%, White painted 69%
	Solubility in water:	None		
	Density:	~300kg/m ³ (11kg/m ² = 2.25 bs/ft ² t25mm)	Tensile strength:	0,007 MPa
	Dust:	No measurable particle attraction	Compression strength:	0,4 MPa
	Emissions :	<11µg/m ² x h	Flexural strength:	0,7 MPa
	Tolerance:	+/- 1 mm	Deformation:	4 mm (0.05 MPa pressure), 5mm (0.10 MPa pressure)
	Asbestos release:	No content		
	Recycled content:	None	TVOC emission rate (µg/m ² h):	14/33 (unpainted/painted)*
	Harmful additives:	None	VVOC emission rate (µg/m ² h):	97*
	Red list chemicals:	None	SVOC emission rate (µg/m ² h):	<2*
	Product lifetime:	50 years	Formaldehyde (µg/m ² h):	<1*
	Thermal resistance:	RD m ² ·K/W = 0,294 (25 mm) 0,588 (50 mm) and 0,823 (70 mm)		
	Thermal conductivity:	Average 0,085 W/m°C (25 mm thickness)		
	Stability and reactivity:	Stability: Stable; Conditions to avoid: None known		

Colour Variations: Please be aware that colour variations may occur in the Natural Panels and Tiles, as they are made from wood.

Light Reflection Values: Contact BAUX to request LRV values for additional colours.

Specification Codes Tiles and Panels

Small Tiles:

Product: 3D Square t25
Spec Code
BAUX-W3d-001-__

Product: 3D Square t50
Spec Code
BAUX-W3d-002-__

Product: 3D Square t70
Spec Code
BAUX-W3d-003-__

Product: Small Circle
Spec Code
BAUX-Wst-008-__

Product: Small Hexagon
Spec Code
BAUX-Wst-002-__

Product: Small Rectangle
Spec Code
BAUX-Wst-003-__

Product: Small Square
Spec Code
BAUX-Wst-004-__

Product: Small Plank
Spec Code
BAUX-Wps-001-__

Product: Small Triangle
Spec Code
BAUX-Wst-005-__

Product: Small Parallel R
Spec Code
BAUX-Wst-006-__

Product: Small Parallel L
Spec Code
BAUX-Wst-007-__

Product: Small Quarter Circle
Spec Code
BAUX-Wit-009-__

Large Tiles:

Product: Large Hexagon
Spec Code
BAUX-Wlt-001-__

Product: Large Rectangle
Spec Code
BAUX-Wlt-002-__

Product: Large Square
Spec Code
BAUX-Wlt-003-__

Product: Large Triangle
Spec Code
BAUX-Wlt-004-__

Product: Large Parallel R
Spec Code
BAUX-Wlt-005-__

Product: Large Parallel L
Spec Code
BAUX-Wlt-006-__

Product: Large Circle
Spec Code
BAUX-Wlt-007-__

Product: Large Plank
Spec Code
BAUX-Wpl-002-__

Product: Large Quarter Circle
Spec Code
BAUX-Wlt-009-__

Panels:

Product: Panel Curve R
Spec Code
BAUX-Wpa-008-__

Product: Panel Curve L
Spec Code
BAUX-Wpa-009-__

Product: Panel Arch
Spec Code
BAUX-Wpa-007-__

Product: Panel Diagonal R
Spec Code
BAUX-Wst-005-__

Product: Panel Diagonal L
Spec Code
BAUX-Wst-006-__

Product: Panel Check
Spec Code
BAUX-Wst-003-__

Product: Panel Stripe
Spec Code
BAUX-Wpa-001-__

Product: Panel Line
Spec Code
BAUX-Wpa-002-__

Product: Panel Quilted
Spec Code
BAUX-Wpa-004-__

Colour Codes:

“ __ ” = Colour code


Regular Colour Assortment

	00 = Natural
	01 = Clouds Black
	02 = Clouds Dark Grey
	03 = Clouds Grey
	04 = Clouds White
	05 = Woods Pine Green
	06 = Woods Moss Green
	07 = Woods Bright Green
	08 = Woods Pale Green
	09 = Sky Navy Blue
	10 = Sky Antique Blue
	11 = Sky Day Blue
	12 = Sky Dusk Blue
	13 = Heat Clay Red
	14 = Heat Rust Red
	15 = Heat Skin Red
	16 = Heat Peach Red
	17 = Earth Soil Brown
	18 = Earth Brown
	19 = Earth Sand Brown
	20 = Earth Dust Brown

Extended Colour Assortment

	A01 = Midnights Air Onyx Black
	A02 = Midnights Air Graphite Grey
	A03 = Midnights Air Platinum Grey
	A04 = Neutrals Air Chalk White
	A05 = Neutrals Air Charcoal Grey
	A06 = Neutrals Air Ash Grey
	A07 = Minerals Air Vanilla Beige
	A08 = Minerals Air Dune Beige
	A09 = Minerals Air Sand Beige
	A10 = Oceanic Air Navy Blue
	A11 = Oceanic Air Sapphire Blue
	A12 = Oceanic Air Brick Red
	A13 = Florals Air Blush Pink
	A14 = Florals Air Amber Orange
	A15 = Florals Air Cinnamon Brown
	A16 = Forests Air Jade Green
	A17 = Forests Air Olive Green
	A18 = Forests Air Emerald Green

Specification Guide Ceiling Panels



PANEL SPECIFICATION CODE:	CT2s.US CT2s.EU	CB4s.US CB4s.EU	ET2s.US ET2s.EU	ET4s.US ET4s.EU
Explanation:	C = Concealed Grid T = Tegular Edge 2s = Two Sides ⁽²⁾ US = Imperial ⁽³⁾ EU = European meter ⁽⁴⁾	C = Concealed Grid B = Bevelled Edge 4s = Four Sides ⁽²⁾ US = Imperial ⁽³⁾ EU = European meter ⁽⁴⁾	E = Exposed Grid T = Tegular Edge 2s = Two Sides ⁽²⁾ US = Imperial ⁽³⁾ EU = European meter ⁽⁴⁾	E = Exposed Grid T = Tegular Edge 4s = Four Sides ⁽²⁾ US = Imperial ⁽³⁾ EU = European meter ⁽⁴⁾
Pinstripe:	Available	NOT Available ⁽⁵⁾	Available	Available
Widestripe:	Available	NOT Available ⁽⁵⁾	Available	Available
Flat:	Available	Available	Available	Available

1) Grid can be either a suspended drywall grid or wooden battens in according to BAUX installation instructions

2) Number of edges being Tegular or Bevelled. 2s. always refer to the two long sides of the panels leaving the short edges straight (no bevel, not tegular)

3) All BAUX Ceiling panels are offered in US imperial dimensions, i.e. Concealed Grid 2x4 ft. and sizes for Exposed Lay In Grid 23.8x47.8"

4) All BAUX Ceiling panels are offered in EU metric dimensions, i.e. Concealed Grid 600x1200 mm and sizes for Exposed Lay-In Grid 593x1193mm

5) FLAT panels available with bevelled edge. PINSTRIPE and WIDESTRIPE panels are NOT available with bevelled edge, they come with tegular edge

Specification Codes Ceiling Panels

Product: Spec Code	Product: Name	Description:
BAUX-WPC-301-__	PINSTRIPE - CT2s.EU	Concealed Grid, Tegular Edge 2 sides, EU.600x1200
BAUX-WPC-302-__	PINSTRIPE - CT2s.US	Concealed Grid, Tegular Edge 2 sides, US.2x4 ft
BAUX-WPC-303-__	PINSTRIPE - ET2s.EU	Exposed Lay-In, Tegular Edge 2 sides, EU.593x1193
BAUX-WPC-304-__	PINSTRIPE - ET2s.US	Exposed Lay-In, Tegular Edge 2 sides, US.23.8x47.8"
BAUX-WPC-305-__	PINSTRIPE - ET4s.EU	Exposed Lay-In, Tegular Edge 4 sides, EU.593x1193
BAUX-WPC-306-__	PINSTRIPE - ET4s.US	Exposed Lay-In, Tegular Edge 4 sides, US.23.8x47.8"
BAUX-WPC-201-__	WIDESTRIPE - CT2s.EU	Concealed Grid, Tegular Edge 2 sides, EU.600x1200
BAUX-WPC-202-__	WIDESTRIPE - CT2s.US	Concealed Grid, Tegular Edge 2 sides, US.2x4 ft
BAUX-WPC-203-__	WIDESTRIPE - ET2s.EU	Exposed Lay-In, Tegular Edge 2 sides, EU.593x1193
BAUX-WPC-204-__	WIDESTRIPE - ET2s.US	Exposed Lay-In, Tegular Edge 2 sides, US.23.8x47.8"
BAUX-WPC-205-__	WIDESTRIPE - ET4s.EU	Exposed Lay-In, Tegular Edge 4 sides, EU.593x1193
BAUX-WPC-206-__	WIDESTRIPE - ET4s.US	Exposed Lay-In, Tegular Edge 4 sides, US.23.8x47.8"
BAUX-WPC-101-__	FLAT - CT2s.EU	Concealed Grid, Tegular Edge 2 sides, EU.600x1200
BAUX-WPC-102-__	FLAT - CT2s.US	Concealed Grid, Tegular Edge 2 sides, US.2x4 ft
BAUX-WPC-103-__	FLAT - ET2s.EU	Exposed Lay-In, Tegular Edge 2 sides, EU.593x1193
BAUX-WPC-104-__	FLAT - ET2s.US	Exposed Lay-In, Tegular Edge 2 sides, US.23.8x47.8"
BAUX-WPC-105-__	FLAT - ET4s.EU	Exposed Lay-In, Tegular Edge 4 sides, EU.593x1193
BAUX-WPC-106-__	FLAT - ET4s.US	Exposed Lay-In, Tegular Edge 4 sides, US.23.8x47.8"
BAUX-WPC-107-__	FLAT - CB4s.EU	Concealed Grid, Bevelled Edge 4 sides, EU.600x1200
BAUX-WPC-108-__	FLAT - CB4s.US	Concealed Grid, Bevelled Edge 4 sides, US.2x4 ft

"__" = Colour code

Regular Colour Assortment

	00 = Natural
	01 = Clouds Black
	02 = Clouds Dark Grey
	03 = Clouds Grey
	04 = Clouds White
	05 = Woods Pine Green
	06 = Woods Moss Green
	07 = Woods Bright Green
	08 = Woods Pale Green
	09 = Sky Navy Blue
	10 = Sky Antique Blue
	11 = Sky Day Blue
	12 = Sky Dusk Blue
	13 = Heat Clay Red
	14 = Heat Rust Red
	15 = Heat Skin Red
	16 = Heat Peach Red
	17 = Earth Soil Brown
	18 = Earth Brown
	19 = Earth Sand Brown
	20 = Earth Dust Brown

Extended Colour Assortment

	A01 = Midnights Air Onyx Black
	A02 = Midnights Air Graphite Grey
	A03 = Midnights Air Platinum Grey
	A04 = Neutrals Air Chalk White
	A05 = Neutrals Air Charcoal Grey
	A06 = Neutrals Air Ash Grey
	A07 = Minerals Air Vanilla Beige
	A08 = Minerals Air Dune Beige
	A09 = Minerals Air Sand Beige
	A10 = Oceanic Air Navy Blue
	A11 = Oceanic Air Sapphire Blue
	A12 = Oceanic Air Brick Red
	A13 = Florals Air Blush Pink
	A14 = Florals Air Amber Orange
	A15 = Florals Air Cinnamon Brown
	A16 = Forests Air Jade Green
	A17 = Forests Air Olive Green
	A18 = Forests Air Emerald Green

Specification Codes Small Tiles

Regular Colour Assortment

Product: Small Circle

Colour		Spec Code
	Natural	BAUX-Wst-008-00
	Clouds Black	BAUX-Wst-008-01
	Clouds Dark Grey	BAUX-Wst-008-02
	Clouds Grey	BAUX-Wst-008-03
	Clouds White	BAUX-Wst-008-04
	Woods Pine Green	BAUX-Wst-008-05
	Woods Moss Green	BAUX-Wst-008-06
	Woods Bright Green	BAUX-Wst-008-07
	Woods Pale Green	BAUX-Wst-008-08
	Sky Navy Blue	BAUX-Wst-008-09
	Sky Antique Blue	BAUX-Wst-008-10
	Sky Day Blue	BAUX-Wst-008-11
	Sky Dusk Blue	BAUX-Wst-008-12
	Heat Clay Red	BAUX-Wst-008-13
	Heat Rust Red	BAUX-Wst-008-14
	Heat Skin Red	BAUX-Wst-008-15
	Heat Peach Red	BAUX-Wst-008-16
	Earth Soil Brown	BAUX-Wst-008-17
	Earth Brown	BAUX-Wst-008-18
	Earth Sand Brown	BAUX-Wst-008-19
	Earth Dust Brown	BAUX-Wst-008-20

Product: Small Plank

Colour		Spec Code
	Natural	BAUX-Wps-001-00
	Clouds Black	BAUX-Wps-001-01
	Clouds Dark Grey	BAUX-Wps-001-02
	Clouds Grey	BAUX-Wps-001-03
	Clouds White	BAUX-Wps-001-04
	Woods Pine Green	BAUX-Wps-001-05
	Woods Moss Green	BAUX-Wps-001-06
	Woods Bright Green	BAUX-Wps-001-07
	Woods Pale Green	BAUX-Wps-001-08
	Sky Navy Blue	BAUX-Wps-001-09
	Sky Antique Blue	BAUX-Wps-001-10
	Sky Day Blue	BAUX-Wps-001-11
	Sky Dusk Blue	BAUX-Wps-001-12
	Heat Clay Red	BAUX-Wps-001-13
	Heat Rust Red	BAUX-Wps-001-14
	Heat Skin Red	BAUX-Wps-001-15
	Heat Peach Red	BAUX-Wps-001-16
	Earth Soil Brown	BAUX-Wps-001-17
	Earth Brown	BAUX-Wps-001-18
	Earth Sand Brown	BAUX-Wps-001-19
	Earth Dust Brown	BAUX-Wps-001-20

Product: Small Quarter Circle

Colour		Spec Code
	Natural	BAUX-Wlt-009-00
	Clouds Black	BAUX-Wlt-009-01
	Clouds Dark Grey	BAUX-Wlt-009-02
	Clouds Grey	BAUX-Wlt-009-03
	Clouds White	BAUX-Wlt-009-04
	Woods Pine Green	BAUX-Wlt-009-05
	Woods Moss Green	BAUX-Wlt-009-06
	Woods Bright Green	BAUX-Wlt-009-07
	Woods Pale Green	BAUX-Wlt-009-08
	Sky Navy Blue	BAUX-Wlt-009-09
	Sky Antique Blue	BAUX-Wlt-009-10
	Sky Day Blue	BAUX-Wlt-009-11
	Sky Dusk Blue	BAUX-Wlt-009-12
	Heat Clay Red	BAUX-Wlt-009-13
	Heat Rust Red	BAUX-Wlt-009-14
	Heat Skin Red	BAUX-Wlt-009-15
	Heat Peach Red	BAUX-Wlt-009-16
	Earth Soil Brown	BAUX-Wlt-009-17
	Earth Brown	BAUX-Wlt-009-18
	Earth Sand Brown	BAUX-Wlt-009-19
	Earth Dust Brown	BAUX-Wlt-009-20

Specification Codes Small Tiles

Extended Colour Assortment

Product: Small Circle

Colour	Spec Code
 Midnights Air Onyx Black	BAUX-Wst-008-A01
 Midnights Air Granite Grey	BAUX-Wst-008-A02
 Midnights Air Platinum Grey	BAUX-Wst-008-A03
 Neutrals Air Chalk White	BAUX-Wst-008-A04
 Neutrals Air Charcoal Grey	BAUX-Wst-008-A05
 Neutrals Air Ash Grey	BAUX-Wst-008-A06
 Minerals Air Vanilla Beige	BAUX-Wst-008-A07
 Minerals Air Dune Beige	BAUX-Wst-008-A08
 Minerals Air Sand Beige	BAUX-Wst-008-A09
 Oceanic Air Navy Blue	BAUX-Wst-008-A10
 Oceanic Air Sapphire Blue	BAUX-Wst-008-A11
 Oceanic Air Brick Red	BAUX-Wst-008-A12
 Florals Air Blush Pink	BAUX-Wst-008-A13
 Florals Air Amber Orange	BAUX-Wst-008-A14
 Florals Air Cinnamon Brown	BAUX-Wst-008-A15
 Forests Air Jade Green	BAUX-Wst-008-A16
 Forests Air Olive Green	BAUX-Wst-008-A17
 Forests Air Emerald Green	BAUX-Wst-008-A18

Product: Small Plank

Colour	Spec Code
 Midnights Air Onyx Black	BAUX-Wps-001-A01
 Midnights Air Granite Grey	BAUX-Wps-001-A02
 Midnights Air Platinum Grey	BAUX-Wps-001-A03
 Neutrals Air Chalk White	BAUX-Wps-001-A04
 Neutrals Air Charcoal Grey	BAUX-Wps-001-A05
 Neutrals Air Ash Grey	BAUX-Wps-001-A06
 Minerals Air Vanilla Beige	BAUX-Wps-001-A07
 Minerals Air Dune Beige	BAUX-Wps-001-A08
 Minerals Air Sand Beige	BAUX-Wps-001-A09
 Oceanic Air Navy Blue	BAUX-Wps-001-A10
 Oceanic Air Sapphire Blue	BAUX-Wps-001-A11
 Oceanic Air Brick Red	BAUX-Wps-001-A12
 Florals Air Blush Pink	BAUX-Wps-001-A13
 Florals Air Amber Orange	BAUX-Wps-001-A14
 Florals Air Cinnamon Brown	BAUX-Wps-001-A15
 Forests Air Jade Green	BAUX-Wps-001-A16
 Forests Air Olive Green	BAUX-Wps-001-A17
 Forests Air Emerald Green	BAUX-Wps-001-A18

Product: Small Quarter Circle

Colour	Spec Code
 Midnights Air Onyx Black	BAUX-Wlt-009-A01
 Midnights Air Granite Grey	BAUX-Wlt-009-A02
 Midnights Air Platinum Grey	BAUX-Wlt-009-A03
 Neutrals Air Chalk White	BAUX-Wlt-009-A04
 Neutrals Air Charcoal Grey	BAUX-Wlt-009-A05
 Neutrals Air Ash Grey	BAUX-Wlt-009-A06
 Minerals Air Vanilla Beige	BAUX-Wlt-009-A07
 Minerals Air Dune Beige	BAUX-Wlt-009-A08
 Minerals Air Sand Beige	BAUX-Wlt-009-A09
 Oceanic Air Navy Blue	BAUX-Wlt-009-A10
 Oceanic Air Sapphire Blue	BAUX-Wlt-009-A11
 Oceanic Air Brick Red	BAUX-Wlt-009-A12
 Florals Air Blush Pink	BAUX-Wlt-009-A13
 Florals Air Amber Orange	BAUX-Wlt-009-A14
 Florals Air Cinnamon Brown	BAUX-Wlt-009-A15
 Forests Air Jade Green	BAUX-Wlt-009-A16
 Forests Air Olive Green	BAUX-Wlt-009-A17
 Forests Air Emerald Green	BAUX-Wlt-009-A18



www.baux.com