

SoftGrid® TEMPO

CEILING BAFFLES

LAST UPDATED
INQUIRIES

09—2023
INFO @ NOWN.COM

NOWN
A R K T U R A

**SIMPLY
ELEVATED**



FOLLOW @ NOWN OFFICIAL

YOUTUBE

INSTAGRAM

FACEBOOK

LINKEDIN



KEY FEATURES



INSPIRATION



OVERVIEW



ACOUSTIC PERFORMANCE




PRODUCT LINE

Tempo elevates the standard rectangular grid you have come to expect from suspended acoustic systems.


Alternating baffles of varying sizes produce an eye-catching and all-at-once mesmerizing pattern reminiscent of a city high-rise across your interior.

Made of our noise-attenuating Soft Sound® material, SoftGrid® Tempo provides concentrated acoustic coverage to guests below.




SoftGrid®'s open grid design makes integrating systems above or below the modules simple and feasible. Easily removable fins and open structure makes accessing lights, HVAC, rigging points, plumbing, AV equipment, and life safety systems easy for your maintenance team.

01) Open Plan Accessibility




SoftGrid® modules can be trimmed down to a minimum of four fin intersections. By rearranging our adjustable hangers; we make it easy for you to specify standard modules that can be easily field-modified around anticipated and unforeseen site conditions during install.

02) Preconfigured Field Trimmable Solutions



Utilizing a hidden fin to fin alignment system SoftGrid® provides continuity in all directions across your space. In addition our optional hanging points offer a fine tuning capability for installers. Our custom formulated material thickness and density ensures rigidity that limits deflection.




SoftGrid®'s Soft Sound® material reduces the impact of noise from everyday annoyances like ringing, typing, and chatter resulting in a more pleasant and productive environment.

SoftGrid®'s material works in concert with the design to help reduce and control reverberations leaving a lasting impression at scales ranging from assembly halls to conference rooms.

03) Continuous Baffles

04) Reduce Noise & Enhance Acoustics



Choose from a large library of Soft Sound® colors and wood textures. Mix and match colors to accent fins and complement the color scheme of your space.


05) Expansive Soft Sound® Library



Create quiet dynamic and welcoming spaces




Select the right finish to complement any color scheme




Open design allows optional lighting to shine

(A) Understanding the System (B) Available Finishes (C) Product Specifications




Modules are made from NOWN's lightweight & durable Soft Sound® acoustical material with stainless steel



Modules can be continuously tiled in multiple directions in plan, using the provided connecting brackets.


01) Standard Module

02) Designing with Modules




(i) An install template is sold as a guide to the drop points for each module.

(A) Understanding the System (B) Available Finishes (C) Product Specifications




PLAN
89% open in plan.

Front View




Side View




ELEVATIONS
Fin depth, 000 and 000.


(A) Understanding the System (B) Available Finishes (C) Product Specifications



To minimize the visual impact of our hanging system, we provide 1.5 mm stainless cables and a micro quick release wire clamp with hanging brackets



Hanging Bracket Attachment



Module Joining Bracket

(A) Understanding the System (B) Available Finishes (C) Product Specifications



01) Soft Sound® Color Group A - STANDARD



(i) Small circles indicate the core of texture.

As with natural wood, variation in color and grain is expected and grain will not align across panels.

Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

02) Soft Sound® Wood Texture - PREMIUM

(A) Understanding the System (B) Available Finishes (C) Product Specifications

Dimensions (WxLxD)	2700 x 2700 mm
Material	12mm Soft Sound® (PET), Stainless Steel
Openness in Plan	89%
Fire Rating	ASTM E84 - Class A 13501-1 B-s1, d0
Acoustics	True NRC® 0.70 (F-100 Method)
Attachment Method	1.5mm Stainless Cable and Hardware
Accessibility	Yes, quick release cables
Trimmability	Yes, per installation manual



Certification for SoftGrid®

Living Building Challenge
Learn more at living-future.org

Copyright ©2018-2023 NOWN. All rights reserved.

(A) Understanding the System (B) Available Finishes (C) Product Specifications

French Regulations	A+
Italian Regulations	✓
M1	M1
BREEAM	✓
LEED	✓
AgBB/ABG	✓

X: Not Compliant
✓: Compliant



[PENDING]

Our low to no VOC levels comply with the above regulations and certifications.

(A) Understanding the System (B) Available Finishes (C) Product Specifications


Each TEMPO Module is Made from 488 Recycled Water Bottles.




Multiple shapes, colors, sizes and flavours to shape any architectural interior.




SOFTGRID® DECA



SOFTGRID® DOME



SOFTGRID® FLUX



SOFTGRID® ORBIT

Multiple shapes, colors, sizes and flavours to shape any architectural interior.




SOFTGRID® ROUND



SOFTGRID® SCALE




SOFTGRID® SINE




SOFTGRID® SKYLINE

Multiple shapes, colors, sizes and flavours to shape any architectural interior.




SOFTGRID® SLOPE



SOFTGRID® SQUARE



SOFTGRID® SWITCH



SOFTGRID® WAVE


Multiple shapes, colors, sizes and flavours to shape any architectural interior.



SOFTGRID® TRELLA



SOFTGRID® TEMPO



SOFTGRID® TILT

NOWN

ARKTURA